

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	40313	"370"/\$.cds.	USPAT	OR	OFF	2005/04/12 07:33
L2	24651	1 and (data or packet) with (flow\$3 or transmission)	USPAT	OR	OFF	2005/04/12 07:36
L3	6768	2 and (mobile or cellular)	USPAT	OR	OFF	2005/04/12 07:36
L4	403	3 and ((access near4 point) or (base near4 station)) with (queue\$6 or FIFO or buffer\$3)	USPAT	OR	ON	2005/04/12 07:36
L5	1540	1 and (data or packet) same (flow\$3 or transmission) same (quality with service)	USPAT	OR	ON	2005/04/12 07:36
L6	602	5 and (mobile or cellular)	USPAT	OR	ON	2005/04/12 07:36
L7	72	6 and ((access near4 point) or (base near4 station)) with (queue\$6 or FIFO or buffer\$3)	USPAT	OR	ON	2005/04/12 10:05

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	40313	"370"/\$.ccds.	USPAT	OR	OFF	2005/04/12 13:42
L2	1668	1 and (data or packet) same (flow\$3 or transmission or transfer\$4) same (quality with service)	USPAT	OR	OFF	2005/04/12 13:44
L3	1872	1 and (data or packet) same (flow\$3 or transmission or transfer\$4) same (quality with service)	USPAT	OR	ON	2005/04/12 15:09
L4	694	3 and (mobile or cellular)	USPAT	OR	ON	2005/04/12 15:09
L5	12	4 and ((access\$3 near4 point) or (base near4 station)) same ((upper or high\$3) with layer) same (low\$3 with layer)	USPAT	OR	ON	2005/04/12 15:10
L6	2977	(data or packet) same (flow\$3 or transmission or transfer\$4) same (quality with service)	USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/04/12 15:41
L7	1159	6 and (mobile or cellular)	USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/04/12 15:32
L8	14	7 and ((access\$3 near4 point) or (base near4 station)) same ((upper or high\$3) with layer) same (low\$3 with layer)	USPAT	OR	ON	2005/04/12 15:23
L9	14	7 and ((access\$3 near4 point) or (base near4 station)) same ((upper or high\$3) with layer) same (low\$3 with layer)	USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/04/12 15:33
L10	134	6 and (mobile or cellular) and ((hand near2 over) or (hand near2 off))	USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/04/12 15:42
L11	22	10 and ((access\$3 near4 point) or (base near4 station)) same (terminat\$3 or stop\$4 or halt\$3) with (flow\$3 or transmit\$4 or send\$3)	USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/04/12 15:35
L12	3	11 and ((access\$3 near4 point) or (base near4 station)) same (flow\$3 or transmit\$4 or send\$3 or forward\$3) with status	USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/04/12 15:35
L13	434479	(data or packet) same (flow\$3 or transmission or transfer\$4)	USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/04/12 15:41

L14	53153	13 and (mobile or cellular)	USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/04/12 15:42
L15	17	14 and (adjust\$3 or chang\$3 or modif\$4 or var\$3) same ((transmission or transmit\$4) with rate) same (depend\$3 or bas\$3) with (flow\$3 with rate)	USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/04/12 15:57